



## XFE 7-12 80

## Eccentric polisher with random orbital Order no. 447129 GTIN 4030293196919

- 12 mm orbit for high efficiency
- Free-spinning drive for hologram-free finishing
- Cow heat generation on the surface makes it ideal for temperature-sensitive paints
- Especially suitable into the spot-repair area and for difficult shapes. Ideal auxiliary for larger polishers
- Powerful 700 watt motor with highly-efficient ventilator for optimum cooling
- Optimised air flow for optimum cooling of motor and gear. No annoying exhaust air for the user
- VR microprocessor control: with tachogenerator constant speed control, soft start, restart protection after power failure, overload protection, temperature monitoring and speed selection
- Flat gear head reduces distance to the surface. The machine can therefore be operated safely in any position.
- Counterweight for smoother operation
- Cushioned special hook and loop pad for polishing.
- Grip hood: ergonomically shaped with SoftGrip. The machine can be controlled with precision and is always comfortable yet secure to hold.
- With rubberised resting bar for safe setting down















## **Technical data**

Power consumption	700 W
Power output	425 W
Voltage	230 V
Frequency	50/60 Hz
Max. polishing disc size	80 mm
Max. support plate size	75 mm
Polishing stroke	12 mm
No-load speed	1800 - 5500 rpm
Orbit rate, no load	3600 - 10800 rpm
Cable length	4,0 m
Dimensions WxLxH	320 x 58 x 120 mm
Weight	2,1 kg

## Standard equipment

<sup>1</sup> Special hook-and-loop pad, cushioned (493406)